


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | | |
|-----------|---------|---|----------|---------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL | APPROVED |
| 1 | | CH'D -111 MATERIAL THICKNESS FROM .011 (.28mm). ADDED MISSING Ø.094 DIMENSION, ADDED FORMED VIEW, CH'D MATERIAL FROM SPRING STEEL. CH'D -115 HEAT TREAT FROM RC 30-36. | 5/7/12 | RJC | SE |
| 2 | 14-0230 | SEPARATED TOOLS RBW109-3130-82-103 AND RBW109-3130-82-105 FROM KIT. -9 CH'D FOAM WAS EGGSHELL BLACK IS Y20 BLACK. 15 CH'D PLACARD WAS RED BARN RBT41009 IS DART RBT41011. | 1/7/2015 | RJC | JAG |





NOTE:
REF. AGUSTA T/N: 109-3130-82-139.

| ASSY QTY | ASSY QTY | B/O | Part # | UNIT QTY | Description | Material | B/O INFORMATION OR SPECIFICATIONS | PG. |
|----------|----------|-----|--------|----------|-------------------------------|-----------|--------------------------------------|-----|
| | | | | 1 | T/R BUSHING REMAOVAL TOOL | | RBW109-3130-82-103 | 1 |
| | | | | 1 | T/R BUSHING INSTALLATION TOOL | | RBW109-3130-82-105 | 1 |
| | | B/O | -5 | 1 | CASE | PLASTIC | PELICAN CASE #APP-1500-E | N/S |
| | | B/O | -7 | 1 | BOTTOM FOAM | Y20 BLACK | 4.31 X 11.40 X 17.00 IR SPECIALTIES | 2 |
| | | B/O | -9 | 1 | LID FOAM | Y20 BLACK | 1.81 X 11.40 X 17.00 IR SPEC IALTIES | 3 |
| | | | -11 | 1 | IDENTIFICATION PLACARD | PLASTIC | | 4 |
| | | | -13 | 1 | LOCATION PLACARD | PLASTIC | | 5 |
| | | B/O | -15 | 1 | DART PLACARD | ALUMINUM | #RB41011 | N/S |

| | | | | | | | | | | | | | | | |
|--|------------------------|-------|-------------------|--|------------------------|-------------|------------|-----------|--------|---------|------|---|---------------|--|--------------|
| DART AEROSPACE | | | | | | | | | | | | | | | |
| T/R SHAFT BUSHING REMOVAL/INSTALLATION TOOL | | | | | | | | | | | | | | | |
| DWG NO. | REV 2 | | | | | | | | | | | | | | |
| <table border="0"> <tr> <td>MAT'L</td> <td>DRAWN BY: PERRITT</td> </tr> <tr> <td>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES</td> <td>APPROVED <i>D Weil</i></td> </tr> <tr> <td>.XXX ± .005</td> <td>HEAT TREAT</td> </tr> <tr> <td>.XX ± .01</td> <td>FINISH</td> </tr> <tr> <td>.X ± .1</td> <td>SPEC</td> </tr> <tr> <td>1. BREAK ALL SHARP EDGES .015 x 45° OR .015R</td> <td>USED ON MODEL</td> </tr> <tr> <td>2. DIMENSIONAL LIMITS APPLY AFTER PLATING</td> <td>AW109, AW119</td> </tr> </table> | | MAT'L | DRAWN BY: PERRITT | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES | APPROVED <i>D Weil</i> | .XXX ± .005 | HEAT TREAT | .XX ± .01 | FINISH | .X ± .1 | SPEC | 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R | USED ON MODEL | 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | AW109, AW119 |
| MAT'L | DRAWN BY: PERRITT | | | | | | | | | | | | | | |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES | APPROVED <i>D Weil</i> | | | | | | | | | | | | | | |
| .XXX ± .005 | HEAT TREAT | | | | | | | | | | | | | | |
| .XX ± .01 | FINISH | | | | | | | | | | | | | | |
| .X ± .1 | SPEC | | | | | | | | | | | | | | |
| 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R | USED ON MODEL | | | | | | | | | | | | | | |
| 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | AW109, AW119 | | | | | | | | | | | | | | |
| SCALE 1:6 | DATE 8/26/2010 | | | | | | | | | | | | | | |
| SHEET 1 OF 5 | | | | | | | | | | | | | | | |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | | | |
|-----------|-----|-------------|------|---------|----------|--|
| REV | ECR | DESCRIPTION | DATE | INITIAL | APPROVED | |






⑦
BOTTOM FOAM

| | |
|--|-------------------------|
| DART AEROSPACE | |
| TITLE: T/R SHAFT BUSHING REMOVAL/INSTALLATION TOOL | |
| DWG NO.: RBW109-3130-82-139-7 | REV: 2 |
| MAT'L: Y20 BLACK | DRAWN BY: PERRITT |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES | APPROVED: <i>D Weil</i> |
| .XXX ± .005 FRACTIONS ± 1/8 | HEAT TREAT |
| .XX ± .01 ANGLES ± 5° | FINISH |
| .X ± .1 | SPEC |
| 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R | USED ON MODEL |
| 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | AW109, AW119 |
| SCALE: 1:4 | DATE: 8/26/2010 |
| SHEET 2 OF 5 | |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.



| REVISIONS | | | | | |
|-----------|---------|---|----------|---------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL | APPROVED |
| 2 | 14-0230 | -9 CH'D FOAM WAS EGGSHELL BLACK IS Y20 BLACK. | 1/7/2015 | RJC | JAG |



| | |
|---|-------------------------------|
| DART AEROSPACE | |
| TITLE T/R SHAFT BUSHING REMOVAL/INSTALLATION TOOL | |
| DWG NO. RBW109-3130-82-139-9 | REV 2 |
| MAT'L Y20 BLACK | DRAWN BY: PERRITT |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES | APPROVED <i>D Weil</i> |
| .XXX ± .005 FRACTIONS ± 1/8 | HEAT |
| .XX ± .01 ANGLES ± 5° | TREAT |
| .X ± .1 | FINISH |
| 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R | SPEC |
| 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | USED ON MODEL AW109, AW119 |
| SCALE 1:4 | DATE 8/26/2010 |
| SHEET 3 OF 5 | |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | |
|-----------|-----|-------------|------|---------|
| REV | ECR | DESCRIPTION | DATE | INITIAL |



NOTE:
USE PDF PROFILE.




(-11)

IDENTIFICATION PLACARD

| | |
|---|-------------------------------|
| DART AEROSPACE | |
| TITLE T/R SHAFT BUSHING REMOVAL/INSTALLATION TOOL | |
| DWG NO. RBW109-3130-82-139-11 | REV 2 |
| MAT'L PLASTIC | DRAWN BY: PERRITT |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES | APPROVED <i>D Weil</i> |
| .XXX ± .005 FRACTIONS ± 1/8 | HEAT |
| .XX ± .01 ANGLES ± 5° | TREAT |
| .X ± .1 | FINISH |
| 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R | SPEC |
| 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | USED ON MODEL AW109, AW109 |
| SCALE 1:2 | DATE 8/26/2010 |
| SHEET 4 OF 5 | |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | | |
|-----------|-----|-------------|------|---------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL | APPROVED |



NOTE:
USE PDF PROFILE.

(-13)

LOCATION PLACARD

| | |
|---|-------------------------------|
| DART AEROSPACE | |
| TITLE T/R SHAFT BUSHING REMOVAL/INSTALLATION TOOL | |
| DWG NO. RBW109-3130-82-139-13 | REV 2 |
| MAT'L PLASTIC | DRAWN BY: PERRITT |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES | APPROVED <i>D Weil</i> |
| .XXX ± .005 FRACTIONS ± 1/8 | HEAT |
| .XX ± .01 ANGLES ± 5° | TREAT |
| .X ± .1 | FINISH |
| 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R | SPEC |
| 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | USED ON MODEL AW109, AW119 |
| SCALE 1:2 | DATE 8/26/2010 |
| SHEET 5 OF 5 | |